





## GOVT. COLLEGE OF ENGINEERING AND RESEARCH, AWASAKI

Awasari(Khurd) Tal: Ambegaon, Dist.Pune-412 405

Tel. No.02133-230582, E-Mail – gcoeara@gmail.com, Webesite: www.gcoeara.ac.in

No. GCOEARA/Store/2024/693

Date: 2 9 FEB 2024

To,

Prof.R.P. Bagwade /Mr. A.D.Chavan for display on College Website

## Subject: Quotation for Plastic & RCC water tank cleaning.

Please send your quotation for the following items on the terms and conditions listed below, mentioning our reference letter number, date and due date of quotation on your sealed envelop, on or before **12.03.2024** at 12.00 pm.

| Sr.No. | Specification  | Qty. may be vary | Unit |
|--------|--|------------------|------|
| 1      | 5000 Ltr. Capacity plastic water tank cleaning   | 40               | No.  |
|        | 4000 Ltr. Capacity plastic water tank cleaning   | 4                |      |
|        | 3000 Ltr. Capacity plastic water tank cleaning   | 4                | No.  |
| 4      | 500 Ltr. Capacity plastic water tank cleaning  | 14               | No.  |
| 5      | 400000 Ltr. Capacity RCC water tank cleaning   | 1                | No.  |
| 6      | 60000 Ltr. Capacity RCC water tank cleaning  | 1                | No.  |
| 7      | 30000 Ltr. Capacity RCC water tank cleaning  | 1                | No.  |
|        | Note- While cleaning tank following procedure should be followed sludge removal(using high pressure pump) — Tank scrubbing—pressure jetting—Vaccum cleaning—antibacterial spray/liquid bleach—U.V. radiation |                  |      |

## **Terms & Conditions**

- 1 Taxes Inclusive / if extra clearly mention the percentage.
- 2 Service / Delivery period -
- 3 Payment Terms –
- 4 Quotation Validity –
- Mention clearly
- 5 Delivery Charges Free / if extra mention clearly.
- 6 The part supply / work and its bill will strictly not be entertained.
- If you fail to supply the stores within the specified period, the order will be treated at cancelled without any information.
- 8 The material/service will be accepted subject at approval(after inspection of the material), If rejected it will be returned to you at your cost.
- 9 The material/ service to be supplied should be strictly according to the specification only.
- 10 Octroi is not applicable since Institute is located in Gram Panychayat area.
- Please attach copy of your **Shop Registration Certificate** and **GST Registration Certificate** alongwith your quotation, without which your quotation will not be accepted.
- 12 Vendor should mentioned on quotation two mobile numbers for contacting purpose india post.

(Dr. D. R. Pangavhane)

I/c Principal

Govt.College of Engineering & Research Awasari Awasari(khurd) Tal: Ambegaon, Dist.Pune